

Available from your Authorised Australian Distributor...



WELCH ALLYN AUSTRALIA
P.O. Box 132, The Metro Centre, Unit 5, 38-46 South Street, Rydalmere, NSW 2116, Australia
(p) +61 2 9638 3000 (f) +61 2 9638 3500 www.welchallyn.com.au

WELCH ALLYN CHINA
Room 1011, Central Plaza, No. 227 Huang-Pi Bei Road, Huang Pu District, Shanghai, China
(p) +86 21 6327 9631 (f) +86 21 6327 9632 www.welchallyn.cn

WELCH ALLYN SINGAPORE
10 Hoe Chiang Road, Keppel Towers #19-03/04, Singapore 089315
(p) +65 6419 8100 (f) +65 6291 5780 www.welchallyn.com.sg

WELCH ALLYN MALAYSIA
10A, Jalan SS 3/33, Taman Universiti, 47300 Petaling Jaya, Selangor, Malaysia
(p) +60 3 7875 3341 (f) +60 3 7875 4210 www.welchallyn.com.my

4341 State Street Road, P.O. Box 220, Skaneateles Falls, NY 13153-0220 USA
(p) 315.685.4100 (f) 315.685.3361 www.welchallyn.com


© 2007 Welch Allyn SM2714AP Rev C

Nellcor® is a registered trademark of Nellcor Puritan Bennett, Inc. ThermoScan® is a registered trademark of Braun GmbH. Windows® is a registered trademark of Microsoft.® Masimo® is a registered trademark of Masimo Corporation.

WelchAllyn®
Advancing Frontline Care™

GENERAL
PRACTICE

WelchAllyn®
Advancing Frontline Care™



Welch Allyn. Advancing Frontline Care

In family medicine, the people you see every day are more than just your patients—they are your friends and neighbours. And when patients visit your office, they're not just going to the doctor—they're going to their doctor.

For nearly 100 years, Welch Allyn has been right there with you, providing innovative, affordable healthcare products and solutions that allow you to more effectively diagnose and treat your patients—whether you are caring for infants, the elderly, or any age in between.

At Welch Allyn, “innovation” means providing you with state-of-the-art products designed to meet your need for simplicity and efficiency. So you can see more patients, perform more procedures, and provide more complete on-site care.

GENERAL PRACTICE

- 1 Spot Vital Signs® Pg. 20
- 2 767 Integrated Diagnostic System Pg. 6
- 3 LS-150™ Halogen Exam Light Pg. 14
- 4 Welch Allyn AED 20™ Pg. 20
- 5 Welch Allyn 6100 Series ABPM Pg. 31
- 6 Ear Wash System Pg. 11
- 7 Solid State Procedure Headlight Pg. 15
- 8 MicroTym® 2 Tympanometric Instrument Pg. 13
- 9 AudioScope® 3 Handheld Audiometer Pg. 12
- 10 CP 200™ ECG Pg. 28
- 11 Elite® Stethoscope Pg. 23
- 12 KleenSpec® Vaginal Specula Pg. 16
- 13 EpiScope® with Rechargeable Lithium-Ion Handle Pg. 7
- 14 Braun ThermoScan® PRO 4000 Thermometer Pg. 22
- 15 SureSight™ Vision Screener
- 16 Video Colposcope with Vertical Stand

For more information on the products in this catalogue, visit our website at:
www.welchallyn.com
www.welchallyn.com.au (Australia)
www.welchallyn.cn (China)
www.welchallyn.com.my (Malaysia)
www.welchallyn.com.sg (Singapore)



General Examination and Triage




INTEGRATED DIAGNOSTIC SYSTEMS—CONVENIENT. AFFORDABLE. PRACTICAL.



Welch Allyn Integrated Diagnostic Systems come in a variety of models and configurations, letting you customise the set that is right for you.

Increase Your Efficiency. Enhance Patient Care.

Get the essential diagnostic instruments needed for just about any physical exam in one place with Welch Allyn Integrated Diagnostic Systems. As a worldwide leader in diagnostic instruments, Welch Allyn Integrated Diagnostic Systems feature the best tools. Integrated for efficiency, built for convenience, Welch Allyn Integrated Diagnostic Systems are sure to help you provide more effective patient care.



“ We purchased the Welch Allyn Integrated Diagnostic System for all our new health care centre exam rooms and have been extremely pleased. They’ve added to our efficiency.”

— PAUL LOISELLE,
EXECUTIVE DIRECTOR, HEALTH CARE,
UNIVERSITY OF NEW ENGLAND

767 Integrated Diagnostic Systems

Sphygmomanometer, otoscope, ophthalmoscope, thermometer, probe covers, eartips—all the essential diagnostic instruments and consumables for every general practice exam room, integrated for efficiency and convenience.

- Choice of the revolutionary PanOptic™ Ophthalmoscope or a 3.5 V Coaxial Ophthalmoscope
- MacroView™ Otoscope provides a 30% larger view than traditional otoscopes
- Handle-based rheostats for quick light-intensity adjustments
- 767 Wall Aneroid with easy-to-read dial face, certified accuracy, and lifetime calibration program
- KleenSpec® Plus Disposable Specula Dispenser, prefilled with ear specula
- Optional—SureTemp® Plus Electronic Thermometer for highly accurate oral readings in approximately 4-6 seconds

*Available in multiple configurations. See International Conversion Codes chart on page 34 for local part numbers.



767 Wall Transformer with Instrument Heads

Accurate diagnostics within easy reach.

- Offers the flexibility to add more instruments and features as you grow
- Handle-based rheostats for quick light intensity adjustments
- Modular design provides ability to add third handle or SureTemp® Plus thermometer
- OptiSense™ sensor automatically turns handles on and off when removed and replaced from cradle

INSTRUMENT HEADS

- 76715* 767 Wall Transformer with Handles Only
- 11820 PanOptic Ophthalmoscope
- 11720 Coaxial Ophthalmoscope
- 23810 MacroView™ Otoscope
- 25020 Diagnostic Otoscope
- 20000 Diagnostic Otoscope with Throat Illuminator

ACCESSORIES

- 76700 Theft-Detering Locking Collars (Set of 2)
- 7670-01 767 Wall Aneroid Sphygmomanometer
- 52401 KleenSpec® Plus Ear Specula Dispenser
- 01690-500 SureTemp Plus 690, 2.7 m Oral Probe with Probe Well and Wall Holder

*Available in multiple configurations. See International Conversion Codes chart on page 34 for local part numbers.



Universal Desk Charger Set

Keep your diagnostic instruments powered up and ready to go with our most popular handles and instruments in one easy-to-order set.

- Coloured LEDs signal power is “on” and instruments are charging
- Advanced circuitry ensures constant, safe charging and optimum, long-lasting lamp life
- Optional—specula tray

71145* Universal Desk Charger with PanOptic™ Ophthalmoscope (11820), MacroView™ Otoscope (23820) and (2) Lithium Ion handles

See page 8 for full details on the PanOptic Ophthalmoscope, and page 10 for the MacroView Otoscope.

*Available in multiple configurations. See International Conversion Codes chart on page 34 for local part numbers.

3.5 V EpiScope™ Skin Surface Microscope

A better look at suspicious lesions.

- Provides 10 X magnification and illumination for crisp, clear viewing
- Reticle contact plate facilitates measurement and tracking of lesion growth
- Fits any 3.5 V Welch Allyn power source
- Halogen illumination for true tissue colour
- Comes with a reference guide for patient education

47300 3.5 V EpiScope (Head Only)

*Available in multiple configurations. See International Conversion Codes chart on page 34 for local part numbers.



“PanOptic’s breadth of the field of view gives me a much greater visual appreciation of retinal structures. It increases my confidence during an exam.”

— LARRY CULPEPPER, MD

3.5 V Standard Coaxial Ophthalmoscope

- Halogen HPX™ lamp provides 30% whiter, brighter light for true tissue colour and long-lasting performance compared with traditional ophthalmoscopes
- Detect corneal abrasions with cobalt blue filter
- Coaxial optical system produces shadow-free spot viewing
- Polarising filter virtually eliminates corneal reflection
- Sealed optics keep out dust and dirt

11720 3.5 V Coaxial Ophthalmoscope (Head Only)



11720

PanOptic™ Ophthalmoscope

The revolutionary PanOptic provides easy entry into the eye, together with a wider field of view to more easily observe conditions such as hypertension, diabetic retinopathy, and papilledema.

- Fast, easy entry into undilated pupils
- 5 x larger view of the fundus vs. standard scopes in an undilated eye
- 25° field of view vs. the standard 5° field of view
- Greater working distance improves comfort for both practitioner and patient
- Detect corneal abrasions with cobalt blue filter and magnifying lens
- Compatible with all existing Welch Allyn 3.5 V power sources

11820 PanOptic Ophthalmoscope with Cobalt-Blue Filter and Add-On Corneal Viewing Lens (Head Only)



11820



92821

2.5 V PocketScope™ Set

In the office or out, you'll always have the accuracy and convenience of Welch Allyn diagnostics right in your pocket.

- 2.5 V PocketScope Ophthalmoscope with consistent, long-lasting halogen illumination for true tissue colour
- 2.5 V Otoscope with built-in throat illuminator gives you two instruments in one, with halogen illumination and fibre optics for cool light
- Adjustable rheostat to control light intensity
- Powered by AA batteries
- Available in either hard or soft case

92820 PocketScope Set with Hard Case

92821 PocketScope Set with Soft Case



3.5 V set with PanOptic Ophthalmoscope, MacroView Otoscope and Lithium Ion Handle

3.5 V Diagnostic Set

Keep your diagnostic instruments together and easily portable, with our most popular handle and instruments in one easy-to-order set.

- Choice of the PanOptic™ Ophthalmoscope or 3.5 V Coaxial Ophthalmoscope
- Choice of the MacroView™ Otoscope or 3.5 V Diagnostic Otoscope
- Lithium ion rechargeable handle provides longer operation time between charges (120 minutes compared to 60 minutes for standard NiCad handles)
- Comes complete with a zippered, hard case for secure storage and easy portability

Available in multiple configurations. Please contact your Welch Allyn representative to customise your 3.5 V Diagnostic Set.

3.5 V Lithium Ion Rechargeable Handle

Twice the power, half the weight.

- Smaller diameter and half the weight of 3.5 V NiCad handles
- 120 minutes of operation between charge (compared to 60 minutes for standard NiCad handles)
- Charges in new Universal Desk Charger
- Compatible with all Welch Allyn 3.5 V instrument heads
- Low battery indicator light

71910 Handle Only

71905* Lithium Ion Handle with Pod and Charger

*See International Conversion Code chart on page 34 for local part numbers.



71905

3.5 V MacroView™ Otoscope

The MacroView Otoscope offers a significant advance in handheld otoscopy, providing the practitioner with an improved view for enhanced decision making.

- Enables nearly a full view of the tympanic membrane with 30% more magnification than traditional otoscopes
- Focusable eyepiece
- Tip grip for more secure speculum attachment
- Halogen HPX™ lamp provides bright, white light output for true tissue colour and long-lasting performance
- Fibre optics project cool light to the distal tip with no reflections or obstructions, for clear viewing of the tympanic membrane
- Sealed system allows for pneumatic otoscopy and accurate diagnosis of otitis media



- 23820 3.5 V MacroView Otoscope with Throat Illuminator (Head Only)
- 23810 3.5 V MacroView Otoscope (Head Only)
- 23804 Insufflation Bulb for MacroView Otoscope
- 24320 SofSeal Single Use Sealing Tip, Small (80/Box—6 Boxes/Case)
- 24330 SofSeal Single Use Sealing Tip, Medium (80/Box—6 Boxes/Case)
- 52700 Disposable Instrumentation Tip for MacroView (48/Box—4 Boxes/Case)



3.5 V Diagnostic Otoscope

Durable, general-purpose otoscopes.

- Halogen HPX™ Lamp provides bright, white light output for true tissue colour and long-lasting performance
- Fibre optics project cool light to the distal tip with no reflections or obstructions, for clear viewing of the tympanic membrane
- Sealed system allows for pneumatic otoscopy and accurate diagnosis of otitis media
- Simply detach the head for high-intensity throat illumination or all-purpose penlight (model 20000 only)

- 20000 3.5 V Diagnostic Otoscope with Throat Illuminator (Head Only)
- 25020 3.5 V Diagnostic Otoscope (Head Only)



3.5 V Bivalve Nasal Illuminator

For a clear, true view of the nasal cavity.

- Halogen HPX™ lamp produces bright, white light for true tissue colour and long-lasting performance
- Adjustable speculum facilitates removal of foreign bodies
- Compatible with all existing Welch Allyn 3.5 V power sources

- 26030 3.5 V Bivalve Nasal Illuminator (head only)

Ear Wash System

Turn the entire process of cerumen removal into a clean, quick, safe procedure.

- Eliminates messy outflow by automatically dislodging, removing and disposing of cerumen
- Transparent tip seals tightly and directs outflow back to sink and away from you and your patient
- Features include pressure regulation, temperature indicator/control, and suctioning action
- Safe, reduces typical side effects like vertigo, nausea and tympanic membrane damage

- 29350-E-ID Ear Wash System
- 29360 Case of 100 Eartips for Ear Wash System



“Very comfortable and safe for my patients, and easy for me. They don’t squint and worry and get wet, and neither do I. And it’s very effective in removing cerumen. I would never go back to the syringe spraying method.”

— THOMAS D. SCHWIETERMAN, MD
MARIA STEIN, OH



LumiView™ Portable Binocular Microscope

Unique 3-D optics for viewing into small cavities.

- Adapts optical properties of binocular microscope to converge user's vision into a magnified, stereoscopic 3-dimensional view
- Directs cool halogen light to the spot for clear 3-D image and accurate depth perception
- Simple to use, easy to carry and very affordable

- 20505H* LumiView Portable Binocular Microscope, Head Mount with Portable Battery Pack
- 20505S* LumiView Portable Binocular Microscope, Spectacle Mount with Portable Battery Pack



*See International Conversion Code chart on page 35 for local part numbers.



AM 232™ Manual Audiometer

Threshold audiometry to quantify hearing loss.

- Quantifies specific dB and frequency hearing loss with precision testing
- Offers a full range of frequencies and intensity levels
- Frequency-modulated stimulus mode for reliable results with children and elderly patients

23205* AM 232 Manual Audiometer



AudioScope® 3 Screening Audiometer/Otoscope

Screen for hearing loss quickly and accurately, with three levels of tones that make one instrument effective for all your patients.

- Halogen light and fibre optics afford brilliant view of tympanic membrane and ear canal before and during screening
- Choice of three screening levels—20 dB HL, 25 dB HL and 40 dB HL—at 500, 1000, 2000 and 4000 Hz for all ages
- Built-in 1000 Hz pretone lets patients “practice” listening before exam

92685* AudioScope 3

*See International Conversion Code chart on page 34 for local part numbers.



MicroTym® 2 Portable Tympanometric Instrument

A faster, easy and complete portable tympanometric instrument.

- Provides objective information for the diagnosis of otitis media
- Useful for other middle ear conditions, such as patent tympanostomy tube, otosclerosis, ossicular disruption and cholesteatoma
- Test in one second, print out results in five seconds
- LCD preview screen ensures reliable results before printing
 - Printouts include tympanogram, numerical form, and interpretive messages
 - Laminated wall chart to assist patient education

93695* MicroTym 2

TM 262™ AutoTym®

More data for more complete diagnosis.

- Conduct tympanometry and ipsilateral acoustic reflex testing, with the option to add on manual audiometry
- Unique probe design achieves the easiest ear seal ever
- Detect and document otitis media, perforated tympanic membrane, patent tympanostomy tube, ossicular disruption, tympanosclerosis and cholesteatoma
- Comes with laminated wall chart for patient education

26205* TM 262 AutoTym

26235* TM 262 AutoTym with Audiometry

*See International Conversion Code chart on page 34-35 for local part numbers.



Exam Light III™

Flexible fibre optic lighting that lets you take brighter, whiter light anywhere without the heat.

- Mounts easily on a wall, stand, or examination table
- Durable fibre optic light pipe bends to almost any position and transmits cool illumination
- Small head provides clear view of task areas
- Sealed focusing sleeve keeps optics free of dust
- Provides homogeneous spot and variable size
- Ideal for gynaecological examinations and minor procedures

48725* Exam Light III Only
48850 Mobile Stand
48859 Universal Table Mount



LS-150™ Examination Light

50 watts of whiter, brighter light.

- Colour-corrected 50-watt lamp delivers significantly whiter light for better tissue diagnosis
- Luminaire stays cool to the touch, even during multiple exams
- Design allows clear view and one-hand positioning

44505* LS-150 with Floor Stand
44515* LS-150 with Wall Mount


*See International Conversion Code chart on page 34 for local part numbers.

LS-135™ Examination Light

High-quality, low-cost halogen illumination for the exam room.

- Long-lasting, 35-watt halogen lamp produces whiter, brighter light than conventional gooseneck units
- Dual-intensity control switch allows you to adjust light output to match your requirements
- Compact base frees up valuable exam room floor space

44305* LS-135 with Floor Stand
44315* LS-135 with Wall Mount
44350 Caster Base Only



LS-200™ Procedure Light

Bring light to all your office-based procedures with high-quality, low-cost illumination.

- Superior manoeuvrability covers a wide range of positions without drifting or repositioning
- 24" working distance with 2,500 foot-candles light output and 3,200°K colour temperature enhances visualisation of the operative site and true tissue colour
- Three-lamp design ensures continuous, shadow-free illumination
- 7" spot size with feathered edge definition and 12" depth of field reduces eye strain

44205* LS-200 Procedure Light Only
44250 Mobile Stand
44210 Wall Mount Bracket



*Available in multiple configurations. See International Conversion Code chart on page 35 for local part numbers.



Solid State Portable Headlight

Provides illumination precisely where it is needed, with cool, bright light that ensures comfort for both clinician and patient.

- Weighs just 113 grams—one of the most comfortable and lightweight headlamps available
- Fits inside a shirt pocket and allows the user complete freedom of movement
- Supplies bright, white, shadow-free light for true tissue colour

46075* Portable Headlight with Direct Power Source and Charger
49642 Soft Terrycloth Headbands (box of 10)



Solid State Procedure Headlight

Targeted, well-defined illumination without the heat of traditional headlamps.

- Weighs just 170 grams—extremely comfortable to wear for both simple and complex procedures
- Supplies bright, white, shadow-free light for true tissue colour
- Optional rechargeable battery pack makes this a completely portable, compact unit that allows the user freedom of movement

49025* Procedure Headlight with Direct Power Source
75265* Portable Power Source with Charger



*See International Conversion Codes chart on pages 34 for local part numbers.





58001

KleenSpec® Disposable Vaginal Specula and Illumination System

Conduct exams more completely and confidently with vaginal specula that transmit brighter, whiter halogen lighting to the speculum tip and directly onto the cervix.

- Molded-in light carrier projects halogen lighting to the speculum tip and directly onto the cervix for clearer viewing and diagnosis
- Illumination system includes 6 V halogen light handle, on/off switch, and transformer
- One-handed angulation and elevation provide multiple settings with positive-locking positions for easy operation
- Smooth, molded acrylic for maximum patient comfort
- Disposable for safety, economy and convenience

- 58000 KleenSpec Small Disposable Specula (Case of 100)
- 58001 KleenSpec Medium Disposable Specula (Case of 100)
- 58004 KleenSpec Large Disposable Specula (Case of 80)
- 78815* Vaginal Illumination System with On/Off Switch and Transformer
- 78800 Vaginal Illumination System with On/Off Switch Only
- 73415* Transformer Only

*See International Conversion Code chart on page 35 for local part numbers.

KleenSpec® Economy Series

Superior performance and integrated illumination in an economical package.

- No sharp edges with this quality economy line
- Expendable illuminator can be resterilised 50 times before disposal
- No need for bulky, low-quality exam lights

- 58600 KleenSpec Small Economy Disposable Specula (Case of 100)
- 58601 KleenSpec Medium Economy Disposable Specula (Case of 100)
- 78600 Expendable Illuminator



58601

NEW
CORDLESS
VAGINAL SPECULA
AVAILABLE
SUMMER 2007



78815*

Fibre Optic Anoscope/Sigmoidoscope Set


For convenience, safety, and optimal performance.

BATTERY-POWERED SYSTEM

- Brilliant halogen light for true tissue colour
- Fibre optic light transmission gives unobstructed vision with 360° of cool, white light
- 45° bevel at distal end to facilitate instrumentation for anoscope
- A complete system that allows you to achieve the perfect balance between patient comfort and optimal clinical performance.

- 36019 Fibre Optic Light Head
- 73500 3.5 V Battery Handle Adaptor
- 71910 3.5 V Lithium Ion Handle Only
- 73210 6 V Rectal Light Handle
- 73225* Rectal Light Handle with Transformer
- 73325* Transformer
- 30200 Insufflation Bulb
- 30210 Box of 10 Disposable Rectal Filters
- 53110 Box of 25 Disposable Anoscopes
- 53130-L Box of 25 Disposable Sigmoidoscopes

*See International Conversion Code chart on page 34 for local part numbers.



DIRECT-POWERED SYSTEM



Vital Signs Measurement



MORE FUNCTIONALITY—SIMPLE TO USE.



Spot Vital Signs® LXi

- SureBP™ technology measures blood pressure in about 15 seconds as the cuff is inflating—resulting in time savings for you and improved comfort for your patients
- Choice of SureTemp® Plus thermometer or Braun ThermoScan® PRO 4000 ear thermometer
- Choice of Masimo® or Nellcor® pulse oximetry
- Ability to manually enter weight, height, respiration rate, and pain level; calculates Body Mass Index
- Connects to select Health o meter® or Tanita® digital scales
- 50-reading memory allows retrieval of previous data for review or to download later
- Comes connectivity-ready, allowing you to connect to the electronic medical records system you have now or the one you'll have in the future

*Available in multiple configurations. See International Conversion Codes chart on page 35 for local part numbers.

45MT0*

Take vital signs in about half the time.
Take patient care to a whole new level.

In today's demanding healthcare environment you don't have time to search for multiple pieces of vital signs equipment or to learn how to navigate complex instruments. You need a simple and flexible vital signs device that can capture the data you need faster, easier, and more reliably. The new Welch Allyn Spot Vital Signs LXi provides more parameters and options than any other spot-check device on the market. Featuring the latest technology in all parameters it gathers more measurements quicker, giving you more time to spend with your patients.



Vital Signs Monitor 300 Series

For simple and accurate spot-check vital signs assessment or continuous monitoring, the Vital Signs Monitor 300 Series is the definition of “advanced monitoring made affordable.”

- Standard noninvasive blood pressure (NIBP), pulse rate and mean arterial pressure (MAP)
- Optional—SureTemp® Plus thermometry, Massimo® or Nellcor® pulse oximetry and integrated thermal printer
- Supports adult, paediatric and neonatal patients
- Simple to use—new LCD display facilitates menu navigation
- Includes automatic blood pressure mode, programmable alarms, built-in memory and intuitive icons
- Lightweight and portable, with a variety of mounting options

*Available in multiple configurations. See International Conversion Codes chart on page 35 for local part numbers.

**See page 22 for full details on Welch Allyn SureTemp Plus thermometry.



Spot Vital Signs®

Take vital signs in seconds with hospital-grade technology that spot checks vital signs easily, accurately and affordably.

- Automated measurement of noninvasive blood pressure (NIBP), pulse rate, temperature and pulse oximetry in 30 seconds
- Flexible configurations yet fully upgradeable to meet your future needs
- Lightweight and portable with a variety of mounting options
- All configurations include NIBP, Pulse Rate and mean arterial pressure (MAP)
- Optional—SureTemp® Thermometry, Masimo® or Nellcor® Pulse Oximetry

*Available in multiple configurations. See International Conversion Codes chart on page 35 for local part numbers.

42MTB*

Propaq® LT

Lightweight, rugged, long-lasting and easy to use, the new Propaq LT continuously monitors the essential vital signs in a compact design.

- Heart rate, 3- or 5-lead ECG, SpO₂, NIBP, respiration
- Neonatal, paediatric and adult patient modes
- Spot-check and continuous monitoring modes
- 24-hour tabular and graphical trending
- Shock resistance of up to 75 g, enough to withstand a 1.82 m drop
- Docking station and rechargeable battery that lasts up to 24 hours
- Flexible mounting options available including IV pole and wall mount
- Conveniently connects to a large colour display panel for 4- or 9-waveform display



AED 10™
Automated External Defibrillator

Designed for easy operation and quick deployment by the infrequent user, the AED 10 uses the simple “1-2-3” approach—a proven rescue protocol used throughout the world.

- Text and voice instructions guide the user through the rescue. Colour-coded pads and illustrations ensure proper pad placement
- High-performance battery delivers five years of standby performance or over 90 discharges at 360 J
- Internal memory stores event data including ECG waveforms, time/date stamps, shock delivery and system actions
- Compatible with major manufacturer defibrillator pads
- Conforms to G2005 Guidelines

Available in multiple configurations. Contact your local Welch Allyn representative for more information and to customise the service that's right for you.



To meet the needs of busy physician offices and clinics, Welch Allyn offers you all the modalities for temperature-taking, for all types of patients.



04000-200

BRAUN *ThermoScan.*
PRO 4000

The Braun ThermoScan PRO 4000 Ear Thermometer offers you the speed and accuracy you need for all types of patients. The exclusive ExacTemp™ technology provides an active user feedback system to ensure proper positioning and improved accuracy.

- Improved accuracy and repeatability through a preheated probe tip and sensor
- Probe cover detection system ensures precise infrared heat transfer for accurate temperatures
- Automatic probe cover eject button for quick and easy disposal of used probe covers
- Easy-to-read, backlit LCD displays temperatures in Fahrenheit or Celsius
- Three-year limited warranty

04000-200 Braun ThermoScan PRO 4000
05075-800 Probe Covers (Case of 800)

SureTemp® Plus 690 Thermometer

Welch Allyn's SureTemp Plus combines the speed of ear thermometry with the accuracy and reliability of traditional oral thermometry. You can take approximately 4- to 6-second oral temperatures, 10-second paediatric axillary and rectal temperatures, and 15-second adult axillary temperatures.

- Interchangeable, removable probe wells reduce the risk of cross-contamination
- Large LCD display for easy viewing
- Last temperature recall
- Convenient storage for 25 probe covers
- Takes approximately 6,000 readings on 3 AA batteries

01690-410 SureTemp® Plus Thermometer (Model 690), Oral Probe with Oral Probe Well
02892-000 Rectal Probe (1.2 m) and Rectal Probe Well
02893-000 Oral Probe (1.2 m) and Oral Probe Well
05031-101 Probe Covers (box of 1,000)
21326-0000 Wall Holder for Models 690/692
08273-000 Mobile Stand for Model 690/692



01690-410

5079-125S



Harvey™ Elite® Stethoscope

- High-quality stainless steel chest-piece and binaurals designed for optimal weight and durability
- Superior performance throughout the entire acoustic range
- Dual-channel PVC tubing provides separate sound pathways to each ear for unrivaled accuracy
- Come standard with paediatric diaphragm

5079-125S Harvey Elite Stethoscope shown in black, also available in burgundy, navy and green
5079-232 Accessory Kit (Includes paediatric chest-piece, extra adult diaphragm, extra ear tips)



**Master Elite
Sensor-Based
Stethoscope System**

Hear more clearly, with unmatched purity of sound, thanks to patented SensorTech™ technology.

- Innovative technology reproduces biological sounds with exceptional sound quality, even through clothes and thick, fatty tissue
- Allows for easy detection of soft murmurs
- Optional—the Distributor allows colleagues and students to hear simultaneously, and the Analyser PC-based software allows for recording, analysis, and distribution of image-based sound files for review and comparison

5079-405 Master Elite Stethoscope
5079-401 Master Elite Distributor
5079-430 Master Elite Analyser Software with ECG



5079-405



5079-135

**Professional
Stethoscope**

Comfortable, lightweight, affordable.

5079-135 Single Lumen Professional Stethoscope (Adult, Double-Head)
5079-145 Single Lumen Professional Stethoscope (Paediatric, Double-Head)
Black colour noted. Also available in burgundy, navy and green.

Tycos® 767-Series Wall and Mobile Aneroids

Great looks and clinical-grade accuracy make the 767-Series one of the best Tycos aneroids ever.

- Certified accuracy to ±3 mmHg
- Mercury-free and latex-free for safety
- Ruby-jeweled movement for long life
- Laser-engraved dial face for accuracy
- Large, easy-to-read dial face (6.25" / 15 cm)
- Built-in cuff storage
- Adjustable-height and 360° swivel for clear viewing (mobile only)
- Lifetime warranty on calibration

7670-01 Wall Aneroid
with Durable One-Piece Adult Cuff

7670-03 Mobile Aneroid
with Four-Leg Mobile Stand and
Durable One-Piece Adult Cuff

7670-04 Mobile Aneroid with Four-Leg
Mobile Stand with Base Weight and
Durable One-Piece Adult Cuff

7670-10 Mobile Aneroid with Sturdy
Five-Leg Mobile Stand and Durable
One-Piece Adult Cuff

7670-11 Mobile Aneroid with Sturdy
Five-Leg Mobile Stand with Base Weight
and Durable One-Piece Adult Cuff



7670-01



7670-04



7670-10

DuraShock™ Model DS66 Gold Range Trigger Aneroid

Innovative trigger-release design for easy operation.

- Certified accuracy to ±3 mmHg
- Meets AAMI shock-resistant standard for enhanced durability (30")
- Laser-engraved dial face for accuracy
- Jeweled movement for long life
- Trigger deflation valve for smooth, one-finger operation
- Latex-free for safety
- 15-year calibration warranty
- Comes complete with case

5098-27 DuraShock DS66 with durable one-piece adult cuff, single tube, black, and zipper case



5098-27

DuraShock™ Model DS65 Silver Range Integrated Aneroid

- Certified accuracy to ±3 mmHg
- Meets AAMI shock-resistant standard for enhanced durability (30")
- Trigger air release valve
- Shock-resistant for accuracy and lower cost over time
- Laser-engraved dial face for accuracy
- Premium aesthetics
- 10-year calibration warranty
- Comes complete with case

DS65-01-189 DuraShock DS65 with durable one-piece adult Velcro cuff and zipper case, single tube, black




DS65-01-189

DuraShock™ Model DS44 Bronze Range Integrated Aneroid

- Shock resistant for accuracy and lower cost over time
- About half the weight of a traditional sphygmomanometer
- Gauge snaps directly into the cuff for fast and easy cuff change
- 5-year calibration warranty on accuracy of gauge
- Complete with case

DS44-11V DuraShock DS44 with durable one-piece adult Velcro cuff and zipper case



DS44-11V



Welch Allyn blood pressure products featuring DuraShock technology are the only gauges with a shock-resistant, gear-free design. The unique design allows increased shock resistance, providing additional durability and requiring calibration less often than many competing gauges. The end result? Welch Allyn blood pressure gauges maintain accurate readings longer than competing gauges, costing you less over time. Learn more at www.welchallyn.com/durashock.

Cardiopulmonary



THE MOST FLEXIBLE CONNECTIVITY SOLUTIONS FOR MORE EFFECTIVE, EFFICIENT PATIENT CARE.



Powerful software that makes data management easier

Access your patient data across the entire family of cardiopulmonary products with Welch Allyn CardioPerfect™ Workstation Software.

Manage data from a variety of different diagnostic tests in the same way and store all of your patient information in a single record, allowing you to retrieve and analyse information quickly, and be more efficient with your patients.



Welch Allyn CardioPerfect™ Workstation Software can connect to many leading electronic medical records (EMRs),

26 letting you automate patient records systems and enjoy paperless efficiency.

CP 100™

- A reliable, easy-to-use, and cost-effective ECG device designed for almost any office setting.
- A noninterpretive 12-lead resting ECG that provides accurate ECG measurements
 - Optional MEANS ECG interpretation software offers a second opinion
 - High-resolution thermal printer generates standard full-sized reports and multiple printouts in the channel configuration you need
 - Lead quality graphic saves valuable time and ensures accurate data capture by highlighting poor connections
 - Standard SD card slot for storage (1 GB SD card stores up to 10,000 ECGs)



CP 200™ with
Optional Spirometry

- Fully-featured with advanced options to help streamline workflow in your office. Same features as the CP 100 plus:
- Large colour LCD screen allows you to easily preview critical information on screen
 - Save time by using dedicated function or “hot” keys to perform the most common functions without looking through menus
 - Store up to 50 ECGs and 50 spirometry tests for later review, edit and interpretation of patient data
 - Connect directly to the Welch Allyn CardioPerfect™ Workstation Software through plug-in cable interface
 - Optional spirometry testing and optional MEANS interpretation software
 - Standard SD card slot for storage (1 GB SD card stores up to 10,000 ECGs)



For a full listing of model numbers for the CP 100 and CP 200, please contact your local Welch Allyn representative.


CardioPerfect™ Workstation Software

Easy-to-use, intuitive software that is EMR ready

Access your patient data across the entire family of cardiopulmonary products with Welch Allyn CardioPerfect™ Workstation Software. This software manages data from these different diagnostic tests in the same way, allowing you to store all of your patient information in the same record. This permits you to retrieve and analyse information quickly, allowing you and your staff to be more efficient.

- Retrieve records with the touch of a key, and review and edit right on the screen
- Store thousands of records with ease
- Fax or e-mail reports directly for consults

RE-SW-ECG Welch Allyn CardioPerfect Workstation Software





PC-Based Resting ECG

The Welch Allyn PCR-100 turns any PC into a full-featured electrocardiograph. Intuitive Windows® operation makes it easy for your staff to learn and use, while the power and features of a PC-based system will save money and increase utilisation of existing equipment.

- Large screen display saves time and eliminates repeat ECGs
- ECG measurements speed physician review and interpretation
- Programmable report formats that print plain (standard) paper using inkjet or laser printer
- Optional ECG interpretation is available
- Upgradeable—leverage your investment by adding spirometer or other future Welch Allyn diagnostics



PC-Based SpiroPerfect™ Spirometer

Accurate, integrated patient information at your fingertips. See and compare accurate results from pulmonary function tests in just seconds. Clearly evaluate pulmonary obstruction or restriction, increase success rates of patients who are undergoing smoking cessation, show progress, and help paediatric patients comply with test procedures.

- Fast, reliable pre-/post-bronchodilator FVC, SVC and MVV testing with automatic interpretation and reversibility analysis
- Instantly verify quality and variability of proper test performance and compare previous tests using the trending tool
- Reduce risk of cross contamination with single-use disposable transducers
- Easily monitor, review, store and print on your existing computer with Welch Allyn CardioPerfect™ Workstation Software

Spiro-S Welch Allyn SpiroPerfect™ PC-Based Spirometer with 3 L Syringe
Spiro-NS Welch Allyn SpiroPerfect™ PC-Based Spirometer

PC-Based Exercise ECG

Flexible, affordable and easy to work with, Welch Allyn PCE Exercise ECG software turns any computer into a powerful stress system.

- 12-lead ECG mode for baseline ECGs
- Select any of the commonly used stress protocols or customise your own
- Records and monitors all 12 leads simultaneously
- View any leads in 3-, 6-, or 12-lead screen formats
- Reports can be printed on demand or at predefined intervals
- Arrhythmia detection is available throughout the test
- All data is stored on the hard drive, allowing access to the original test results at any time

For a full listing of Welch Allyn PC-based resting and stress ECGs, contact your local Welch Allyn representative.



ABPM 6100S

Accurate 24-hour ambulatory blood pressure monitoring with simple, one-button operation and powerful Windows®-based reporting software.

- Lightweight, compact and quiet for improved patient compliance
- Dynamic inflation automatically limits maximum cuff pressure for patient comfort
- Automatic cuff identification allows cuff size changes without reprogramming
- Two-year warranty on monitor
- Connects to Welch Allyn CardioPerfect™ Workstation software for data storage and transfer of patient data to many leading EMRs

ABPM-6100S ABPM System with 6100 Recorder & Software
ABPM-6100 ABPM 6100 Recorder Only with Accessories



Holter

- Simple-to-use set-up wizards customise the system to your needs so that you can quickly retrieve the data you need
- Live preview display of ECGs helps you verify all leads are working before the patient leaves the office
- Wireless data transfer to PC allows you to access a summary report or highlight key areas for further analysis



COMING
SOON!

General Practice Consumables

Product Name	Part No.	Ref. Page	Product Affiliation
Otoscope Tips	52434-U	10	524 Series KleenSpec® Disposable Otoscope Specula, 4.25 mm, 850/bag, 10 bags/case
	52432-U	10	524 Series KleenSpec® Disposable Otoscope Specula, 2.75 mm, 850/bag, 10 bags/case
Ear Wash System Tips	29360	11	Ear Tips for Ear Wash System (Case of 100 eartips)
Thermometry	05031-101	18, 20, 22	Disposable Temperature Probe Covers for SureTemp® 678, 679, 690 and 692 Models; Vital Signs Monitor; Spot Vital Signs® LXI, Spot Vital Signs™ (case of 1,000 covers)
	05075-800	22	Disposable Temperature Probe Covers for Braun Thermoscan® PRO 4000 (case of 800 covers)
ABPM	5100-42E	31	Patient Diaries (set of 50)
	5100-44	31	Pads, Cuff Anchors (set of 50)
Paper	52600	13	TM 262™ AutoTym® Printer Paper (1 pack of 5 rolls)
	56100	13	MicroTym® 2 Printer Paper (5 rolls/box, 4 boxes/case)
	7052-25	20	Vital Signs Monitor Printer Paper (6 rolls)
	94018-0000	28	Paper for CP 200™ (200 sheets/pack, 5 packs/case)
Rectal Filters	30210	17	Disposable Rectal Filters (10/box)
Disposable Sigmoidoscopes	53130-L	17	Individually wrapped disposable sigmoidoscope specula (19 mm x 25 cm) with obturators (25/box)
Disposable Anoscopes	53110	17	Individually wrapped disposable anoscope specula (19 mm x 10 cm) with obturators (25/box)
Vaginal Specula	58000	16	KleenSpec® 580 Series Disposable Vaginal Specula, Small (box of 25, case of 100)
	58001	16	KleenSpec® 580 Series Disposable Vaginal Specula, Medium (box of 25, case of 100)
	58004	16	KleenSpec® 580 Series Disposable Vaginal Specula, Large (box of 20, case of 80)
	58600-L	16	KleenSpec® Economy Disposable Vaginal Specula, Small (box of 25, case of 100)
	58601-L	16	KleenSpec® Economy Disposable Vaginal Specula, Medium (box of 25, case of 100)
Electrodes	45008-0000	28	Resting Tab Electrodes (box of 1,000)
Transducers	703419	28, 31	Disposable Flow Transducers for CPWS, CP 200, SpiroPerfect (100/pack)

Replacement Bulbs and Batteries

Welch Allyn is both a major manufacturer of precision miniature and sub-miniature bulbs for medical applications, and exclusive supplier of bulbs for Welch Allyn diagnostic equipment. Only use Welch Allyn bulbs in Welch Allyn equipment. Loss of warranty may result from damage caused by other makes of bulbs. We strongly advise that only Welch Allyn bulbs are used as these have been purpose-designed to work with our equipment.

Bulb No.	Bulb	Current Instruments	Bulb No.	Bulb	Current Instruments
01200-U		12500 BIO	07600-U		76600 Penlight (2.5 V)
02800-U		19090 (2.5 V)	07800-U		73210 Rectal 6 V Light Handle
02900-U		29090 Klinik Otoscope (2.5 V)	08200-U		18235 (Streak) Retinoscope (3.5 V)
03000-U		11710 Ophthalmoscope 12400 Strabismoscope 47300 Episcopes™ (3.5 V)	08300-U		18300 (Spot) Retinoscope (3.5 V)
03100-U		25020 27000 Various 20000 27050 Otolscopes 21700 28100 and ENT 20200 41100 Heads 20202 26030 73500 Rectal Adaptor (3.5 V)	08500-U		20505S LumiView™ and Flat 20505H Surface Magnifier 20515 20515H 20525S 20524H
03400-U		22821 Pocket Otoscope (2.5 V)	08600-U		88005 89005
03500-U		23100P Compac Video Otoscope	08800-U		78800 Vaginal Light Handle (4.6 V)
03600-U		60500 Expendable Laryngoscope (2.5 V)	09500-U		49525 MFI Headlight
03800-U		11810 PanOptic (HPX)			
03900-U		12821 Pocket Ophthalmoscope (2.5 V)			
04200-U		48725 Exam Light III			
04430-U		44305 LS-135 Light 44315			
04450-U		44505 LS-150 Light 44515			
04900-U		11720 Coaxial Ophthalmoscope			
06400-U		44205 LS-200 Light			





Battery No.	Battery	Current Instruments
72200		71670 NiCad Handle Desk Charger
72240		74365 Portable BIO Power Source
72300		71020-A NiCad Handle 71055-C NiCad Convertible Handle
71960		71900 Lithium Ion Handle (3.5 V)
72900		93695 MicroTym II

International Conversion Codes

Product Description	Catalogue Code	Plug Style			
		 120 V USA/ Japan	 220 V Europe	 240 V U.K.	 240 V Australia
767 Wall Transformer					
767 Wall Transformer with Handles Only	76715	76710	76712	76714	76716
767 Wall Transformer with Handles Only, plus Clock	76725	76720	76722	76724	76726
767 Wall Transformer with Clock, 11720 Coaxial Ophthalmoscope, 25020 Otoscope, 767 Wall Aneroid Sphygmomanometer, SureTemp Plus 690 Thermometer, KleenSpec Plus Otoscope Specula Dispenser, Wall-Mounting Board	76793-X	76793	76793-2	76793-4	76793-6
Universal Desk Charger Set					
Universal Desk Charger with 11810 PanOptic Ophthalmoscope, 23810 MacroView Otoscope and 2 Lithium Ion Handles	71815-MPS	71811-MPS	71812-MPS	71814-MPS	71816-MPS
Universal Desk Charger with 11820 PanOptic Ophthalmoscope, 20000 Otoscope and 2 NiCad Handles	71835-P	71830-P	71832-P	71834-P	71836-P
Universal Desk Charger with 11720 Coaxial Ophthalmoscope, 20000 Otoscope and 2 Lithium Ion Handles	71825-SM	N/A	71822-SM	71824-SM	71826-SM
Universal Desk Charger with 11720 Coaxial Ophthalmoscope, 25020 Otoscope and NiCad Handles	71745	71641	71742	71744	71746
Universal Desk Charger Only	71145	71140	71142	71144	71146
3.5 V Lithium Ion Rechargeable Handle					
Lithium Ion Handle with Pod and Charger	71905	71907	71902	71904	71906
Exam Light III™					
Exam Light III	48725	48700	48722	48724	48726
LS-150 Examination Light					
LS-150 with Floor Stand	44505	44500	44502	44504	44506
LS-150 with Wall Mount	44515	44510	44512	44514	44516
LS-135 Examination Light					
LS-135 with Floor Stand	44305	44300	44302	44304	44306
LS-135 with Wall Mount	44315	44310	44312	44314	44316
Portable Solid State Headlight					
Portable Solid State Headlight	46075	46070	46072	46074	46076
Procedure Solid State Headlight					
Procedure Solid State Headlight	49025	49020	49022	49024	49026
Anoscope/Sigmoidoscope Set					
Rectal Light Handle with Transformer	73225	73220	73222	73224	73226
Transformer	73325	73305	73322	73324	73326
AM 232™ Manual Audiometer					
AM 232 Manual Audiometer	23205	23200	23202	23204	23256
AudioScope® 3 Screening Audiometer/Otoscope					
AudioScope 3 Screening Audiometer/Otoscope	92685	92680	92682	92684	92686
MicroTym® 2 Portable Tympanometric Instrument					
MicroTym 2 Portable Tympanometric Instrument	93695	93690	93692	93694	93696

34

International Conversion Codes (continued)

Product Description	Catalogue Code	Plug Style				
		120 V USA/Japan	220 V Europe	240 V U.K.	240 V Australia	
TM 262™ AutoTymp®						
TM 262 AutoTymp	26205	26200	26202	26204	n/a	
TM 262 AutoTymp with Audiometry	26235	26230	26232	26234	26286	
LumiView™ Portable Binocular Microscope						
Portable Binocular Microscope, Head Mount with Portable Battery Pack	20505H	20500H	20502H	20504H	20506H	
Portable Binocular Microscope, Spectacle Mount with Portable Battery Pack	20505S	20500S	20502S	20504S	20506S	
Flat Surface Magnifier, Head Mount with Portable Battery Pack	20525H	20520H	20522H	20524H	20526H	
Flat Surface Magnifier, Spectacle Mount with Portable Battery Pack	20525S	20520S	20522S	20524S	20526S	
Spot Vital Signs®*						
NIBP only (pulse rate & MAP)		4200B-E1	4200B-E2	4200B-E4	4200B-E6	
NIBP/Temperature		420TB-E1	420TB-E2	420TB-E4	420TB-E6	
NIBP/NeIIcor Pulse Oximetry		42N0B-E1	42N0B-E2	42N0B-E4	42N0B-E6	
NIBP/NeIIcor Pulse Oximetry/Temperature		42NTB-E1	42NTB-E2	42NTB-E4	42NTB-E6	
NIBP/Masimo Pulse Oximetry		42M0B-E1	42M0B-E2	42M0B-E4	42M0B-E6	
NIBP/Masimo Pulse Oximetry/Temperature		42MTB-E1	42MTB-E2	42MTB-E4	42MTB-E6	
*Please note, the letter 'E' in the code suffix above signifies English language. If Chinese language is required, please replace the 'E' with a 'C'.						
Spot Vital Signs® LXi*						
NIBP/SureTemp Plus Thermometry		450T0-E1	450T0-E2	450T0-E4	450T0-E6	
NIBP/Braun ThermoScan PRO 4000 Thermometry		450E0-E1	450E0-E2	450E0-E4	450E0-E6	
NIBP/NeIIcor Pulse Oximetry/SureTemp Plus Thermometry		45NT0-E1	45NT0-E2	45NT0-E4	45NT0-E6	
NIBP/Masimo Pulse Oximetry/SureTemp Plus Thermometry		45MT0-E1	45MT0-E2	45MT0-E4	45MT0-E6	
NIBP/NeIIcor Pulse Oximetry/Braun ThermoScan PRO 4000 Thermometry		45NE0-E1	45NE0-E2	45NE0-E4	45NE0-E6	
NIBP/Masimo Pulse Oximetry/Braun ThermoScan PRO 4000 Thermometry		45ME0-E1	45ME0-E2	45ME0-E4	45ME0-E6	
*Please note, the letter 'E' in the code suffix above signifies English language. If Chinese language is required, please replace the 'E' with a 'C'.						
Vital Signs Monitor 300 Series*						
NIBP only (includes pulse rate & MAP)		53000-E1	53000-E2	53000-E4	53000-E6	
NIBP/Printer		5300P-E1	5300P-E2	5300P-E4	5300P-E6	
NIBP/Temperature		530T0-E1	530T0-E2	530T0-E4	530T0-E6	
NIBP/Temperature/Printer		530TP-E1	530TP-E2	530TP-E4	530TP-E6	
NIBP/NeIIcor Pulse Oximetry		53N00-E1	53N00-E2	53N00-E4	53N00-E6	
NIBP/NeIIcor Pulse Oximetry/Printer		53NOP-E1	53NOP-E2	53NOP-E4	53NOP-E6	
NIBP/Temperature/NeIIcor Pulse Oximetry		53NT0-E1	53NT0-E2	53NT0-E4	53NT0-E6	
NIBP/Temperature/NeIIcor Pulse Oximetry/Printer		53NTP-E1	53NTP-E2	53NTP-E4	53NTP-E6	
NIBP/Masimo Pulse Oximetry		53S00-E1	53S00-E2	53S00-E4	53S00-E6	
NIBP/Masimo Pulse Oximetry/Printer		53S0P-E1	53S0P-E2	53S0P-E4	53S0P-E6	
NIBP/Temperature/Masimo Pulse Oximetry		53ST0-E1	53ST0-E2	53ST0-E4	53ST0-E6	
NIBP/Temperature/Masimo Pulse Oximetry / Printer		53STP-E1	53STP-E2	53STP-E4	53STP-E6	
*Please note, the letter 'E' in the code suffix above signifies English language. If Chinese language is required, please replace the 'E' with a 'C'.						
LS-200™ Procedure Light						
LS-200 Procedure Light	44205	44200	44202	44204	44206	
KleenSpec® Illumination System						
KleenSpec Illumination System with On/Off Switch	78815	78810	78812	78814	78816	
Transformer Only	73415	73410	73412	73414	73416	35